

C L A I M S

- Sub a1>*
1. A toilet accessory kit, comprising:
a holder having opposite ends defining receptacles;
a divider extending across the holder and separating the receptacles from one another;
 - 5 a handle attached to the divider for carrying the holder;
a toilet brush received and supported in one of said receptacles; and
a toilet plunger received and supported in the other of said receptacles.
 2. A toilet accessory kit as claimed in claim 1, wherein:
said handle is shaped and sized to receive and hold at least one roll of toilet paper.
 3. A toilet accessory kit as claimed in claim 2, wherein:
a removable cover is on said holder, enclosing the toilet brush and plunger.
 4. A toilet accessory kit as claimed in claim 3, wherein:
said holder comprises a base member having a bottom wall and an upstanding side wall; and
5 said divider is secured to said side wall.
 5. A toilet accessory kit as claimed in claim 4, wherein:
the receptacle for said brush comprises a cup-shaped member in said one end of said holder.
 6. A toilet accessory kit as claimed in claim 5, wherein:
said one end of said holder is smaller in a transverse direction than said other end.

09652475 - 000138

9

7. A toilet accessory kit as claimed in claim 6, wherein:
said ends of said holder are rounded and are joined to one another by straight
sides.
8. A toilet accessory kit as claimed in claim 7, wherein:
said base member, including said cup-shaped member, comprises a unitary
plastic structure.
9. A toilet accessory kit as claimed in claim 8, wherein:
said divider and said handle are formed as one piece, separate from the base
member, and then secured to the base member to form the holder.
10. A toilet accessory as claimed in claim 1, wherein:
said divider and said handle are formed as one piece, separate from the base
member, and then secured to the base member to form the holder.
11. A toilet accessory as claimed in claim 10, wherein:
the receptacle for said brush comprises a cup-shaped member in said one end
of said holder.
12. A toilet accessory as claimed in claim 11, wherein:
said base member, including said cup-shaped member, comprises a unitary
plastic structure.
13. A toilet accessory as claimed in claim 1, wherein:
said plunger comprises a spherically shaped member having a concavo-
convex open end, and a depending cylindrical skirt around the open end, said skirt
attached at one end to a midportion of the spherical member and coterminous at
5 its other end with the open end of the spherically shaped member, said skirt serving
as a splash shield and forming a secondary seal when in use, and said concavo-

convex open end of the spherical member adapted to fit into and seal with a range of different size openings.

14. A toilet accessory as claimed in claim 1, wherein:

said brush comprises a brush head having bristles projecting from one side and an elongate narrow pick extending from the other side, said pick adapted to extend into and clean water inlet jets beneath a rim in a toilet bowl; and

- 5 a handle extending at an angle from the head to facilitate use of both the bristles and the pick.

15. A toilet accessory as claimed in claim 14, wherein:

the handle extends at an angle of from about 20° to about 45° relative to the head.

16. A toilet accessory as claimed in claim 15, wherein:

a reflective surface is on the side of said head from which the pick projects, to enable a user to see the jets into which the pick is to be inserted during use.

17. A toilet accessory as claimed in claim 13, wherein:

said brush comprises a brush head having bristles projecting from one side and an elongate narrow pick extending from the other side, said pick adapted to extend into and clean water inlet jets beneath a rim in a toilet bowl; and

- 5 a handle extending at an angle from the head to facilitate use of both the bristles and the pick.

18. A toilet accessory as claimed in claim 17, wherein:

the handle extends at an angle of from about 20° to about 45° relative to the head; and

a reflective surface is on the side of said head from which the pick projects,

- 5 to enable a user to see the jets into which the pick is to be inserted during use.

~~19.~~ A brush for cleaning toilets, comprising:

a brush head having opposite sides, bristles projecting from one side, and an elongate narrow pick projecting from the other side, said pick adapted to extend into and clean water inlet jets beneath a rim in a toilet bowl; and

5 a handle extending from the head at an angle of from about 20° to about 45° relative to the head to facilitate use of both the bristles and the pick.

~~20.~~ A plunger for dislodging blockages in drains, comprising:

a spherically shaped member being a concavo-convex open end, and a depending cylindrical skirt around the open end, said skirt attached at one end to a midportion of the spherically shaped member and coterminous at its other end

5 with the open end of the spherically shaped member, said skirt serving as a splash shield and forming a secondary seal when in use, and said concavo-convex open end of the spherical member adapted to fit into and seal with a range of different size openings.

Add a2>